Recommending a 15-Year Strategy

Jerry Boyle, Facilitator
Vision 21 Simulation Meeting
Sponsored by the U.S. Dept of Energy, NETL

November 19-20, 2002 Iowa State University, Ames, IA

What is V21 Simulation?


- Integrated model of plant: steady state thru dynamic
- Able to access legacy code, vendor designed code
- Potential Users
 - → DOE
 - Architectural & Engineering (A&E)
 - Designers
 - Operators
 - End purchasers
 - → Manufacturers
 - → Researchers

15-Year Goal

 Provide software infrastructure equipped with a toolbox of a hierarchical series of models to design, simulate, and control V21 plants

Hierarchy of Models

- Platform is first
- Linking/integrating
- Real-time interactive
- Speed versus accuracy
- Use IECM to guide R&D agenda, validation scheme
- Never finished



Common Interface Needed

- CAPE OPEN
- CCA

Milestones

- 1 yr: Establish a Standards Advisory Board
- 2 yr: Secure remote access through the internet
- 3 yr: Validate steady state simulations
 Model multiphase dense flow at a fundamental scale
 Visualize medium-sized pre-computed transient flow
- 4 yr: Standards Advisory Board will publish standards
- 5 yr: Optimization
- 6 yr: Validate transient simulations
 Improve physical and chemical models for reacting single and multiphase codes

Milestones, continued

- 7 yr: Revised optimization
 Model pollutant production
- 9 yr: Controls
 Transient model of each component
- 10 yr: Real-time visualization of transient data
- 12 yr: Consolidate models to move towards unified all-purpose CFD code
- 15 yr: Dynamic coupled models of all components

Software milestones refer to licensable releases for the user community